





SMK-Link Electronics Corporation
3601-B Calle Tecate, Camarillo, CA 93012
Phone (805) 987-6662, Fax (805) 987-6665
www.smklink.com

Product Announcement Information Sheet

Product Name	SMK-Link™ TAA-Compliant USB Smart Card Reader
Model Number	VP3805
Part Number	RXT6000-4401F
UPC Code for Single Package	 715262038059 7 15262 03805 9
Dimensions/Weight per Single Package	4.33" (L) x 4.33" (W) x 1.1" (H) / 3.5 oz. 110 mm x 110 mm x 28 mm / 100.7 g
UPC Code for Master Carton	 1 07 15262 03805 6 10715262038056
Dimensions/Weight per Master Carton	22.2" (W) x 6" (D) x 4.72" (H) / 7.72 lbs. 565 mm x 153 mm x 120 mm / 3.5 kg.
Units per Master Carton	25
Country of Origin	Taiwan
Suggested Retail Price	\$24.99
Availability	September, 2015



Product Descriptions

SMK-Link™ TAA-Compliant USB Smart Card Reader

25-Word Description

The VP3805 from SMK-Link™ Electronics is a PC/SC, FiPS 201-compliant USB Smart Card Reader manufactured to meet U.S. Trade Agreements Act requirements.

50-Word Description

The VP3805 from SMK-Link™ Electronics is a PC/SC, FiPS 201-compliant USB Smart Card Reader manufactured to meet U.S. Trade Agreements Act requirements. ISO7816 certified and CAC-compatible, the VP3805 supports *Card Terminal (CT/API)*, *Home Banking (HBCI)* and *DoD* security applications. (*Windows® XP, Vista, 7, 8 and 10, Mac® OS X® 10.6 and later compatible*)

100-Word Description

The VP3805 from SMK-Link™ Electronics is a PC/SC, FiPS 201-compliant USB Smart Card Reader manufactured to meet U.S. Trade Agreements Act requirements. ISO7816 certified and CAC-compatible, the VP3805 supports *Card Terminal (CT/API)* and *Home Banking (HBCI)* applications.

The VP3805 Smart Card Reader is Common Access Card (CAC) compatible, for use by government, military, Department of Defense (DoD) and other organizations utilizing CAC security/access applications.

(*Windows® XP, Vista, 7, 8 and 10, Mac® OS X® 10.6 and later compatible*)

Benefits

- TAA compliant USB PC Smart Card Reader
- Offers a broad range of Smart Card reading compatibility
- Supports *Card Terminal (CT/API)* and *Home Banking (HBCI)* applications
- Compatible for use with government and DoD security applications
- *Windows XP, Vista, 7, 8 and 10 compatible*
- *Mac® OS X® 10.6 and later compatible*

Features

- Meets TAA manufacturing requirements

- LED indicator shows operating status
- *Windows XP, Vista, 7, 8 and 10 compatible*
- *Mac® OS X® 10.6 and later compatible*

Specifications

Compatibility

- PC Smart Card Standard (PC/SC 1.0 compliant)
- Card Reader Interface: ISO 7816-1/2/3/T0 and T1=1 protocol
- Supports Microsoft® Smart Card for Windows®
- FiPS Publication 201 compliant
- Common Access Card (CAC) compatible

Testing & Compatibility

- Smart card connector: 8 pin, friction technology
- Durability: up to 200,000 cycles

Package Contents

- VP3805-TAA USB PC Smart Card Reader
- Quick Start Guide

Mouse Dimensions & Weight

- 2.6" (W) x 2.6" (D) x 0.5" (H)
- 3 ounces

Warranty

- 3 Year Limited Manufacturer's Warranty
- Unlimited Customer Support